


REQUEST FOR QUOTATION (This is NOT an Order)		This RFQ <input checked="" type="checkbox"/> is <input type="checkbox"/> is not a small business set-aside		Page 1 Of 26
1. Request No. W56HZV-04-Q-0645	2. Date Issued 2004FEB26	3. Requisition/Purchase Request No. See Schedule	4. Cert For Nat Def. Under BDSA Reg. 2 and/or DMS Reg. 1 	Rating DOA4
5A. Issued By TACOM WARREN BLDG 231 AMSTA-LC-CHC WARREN, MICHIGAN 48397-5000 W56HZV			6. Deliver by (Date) See Schedule	
5B. For Information Call: (Name and telephone no.) (No collect calls) PAULETTE BURTON (586) 574-5632 EMAIL: BURTONP@TACOM.ARMY.MIL			7. Delivery <input checked="" type="checkbox"/> FOB Destination <input type="checkbox"/> Other	
8. To: Name and Address, Including Zip Code			9. Destination (Consignee and address, including Zip Code) See Schedule	
10. Please Furnish Quotations to the Issuing Office in Block 5A On or Before Close of Business (Date) 2004MAR26		IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please indicate on this form and return it to the address in Block 5B. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any interpretations and/or certifications attached to this Request for Quotation must be completed by the quoter.		

11. Schedule (Include applicable Federal, State, and local taxes)					
Item Number (a)	Supplies/Services (b)	Quantity (c)	Unit (d)	Unit Price (e)	Amount (f)
	(See Schedule)				

12. Discount For Prompt Payment	a. 10 Calendar Days	b. 20 Calendar Days	c. 30 Calendar Days	d. Calendar Days	
	%	%	%	Number	Percentage

NOTE: Additional provisions and representations <input type="checkbox"/> are <input type="checkbox"/> are not attached.			
13. Name and Address of Quoter (Street, City, County, State and Zip Code)	14. Signature of Person Authorized to Sign Quotation		15. Date of Quotation
	16. Signer		
	a. Name (Type or Print)		b. Telephone
	c. Title (Type or Print)		Area Code
			Number

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-Q-0645 MOD/AMD	Page 2 of 26
---------------------------	--	----------------------------

Name of Offeror or Contractor:

SUPPLEMENTAL INFORMATION

<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
1 52.204-4016 (TACOM)	TACOM-WARREN ELECTRONIC CONTRACTING	JUL/2003

(a) TACOM is now operating in an electronic contracting environment. All TACOM solicitations and awards are now distributed on the TACOM Warren Business Opportunities web page (<http://contracting.tacom.army.mil/opportunity.htm>) and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web. Please see submission guidelines at <http://contracting.tacom.army.mil/userguide.htm> and <http://contracting.tacom.army.mil/ebidnotice.htm> for more information. Any requirements included in the solicitation take precedence over guidance found on the TACOM contracting web page.

(b) You may need to use special software to view documents that we post on the home page. This viewing software is freeware, available for download at no cost from commercial web sites like Microsoft and Adobe. In cases where such software is required, we provide a link from our page to the commercial site where the software is available. Once you arrive at the software developer's site, follow their instructions to download the free viewer. You then can return to the TACOM home page.

(c) You are required to submit your offer, bid, or quote electronically. See the provision entitled "Electronic Offers (or 'Quotes' or 'Bids') Required in Response to This Solicitation (or 'Request for Quotations')" for more specific information.

(d) Any award issued as a result of this solicitation will be distributed electronically. Awards posted on the TACOM Warren Business Opportunities web page represent complete OFFICIAL copies of contract awards and will include the awarded unit price. This is the notice required by Executive Order 12600 (June 23, 1987) of our intention to release unit prices in response to any request under the Freedom of Information Act (FOIA), 5 USC 552. Unit price is defined as the contract price per unit or item purchased as it appears in Section B of the contract and is NOT referring to nor does it include Cost or Pricing data/information. If you object to such release, and you intend on submitting an offer, notify the PCO in writing prior to the closing date identified in this solicitation and include the rationale for your objection consistent with the provisions of FOIA. A release determination will be made based on rationale given.

(e) If you have questions or need help in using the Acquisition Center Home Page, call our Electronic Contracting Help Desk at (586) 574-7059, or send an email message to: acqcenweb@tacom.army.mil

(f) If you have questions about the content of any specific item posted on our home page, please call the buyer or point of contact listed for the item. Additional help is available to small businesses from Government-funded Electronic Commerce Regional Centers (ECRCs) to implement EDI. Information on ECRC is available at <http://www.ecrc.ctc.com>

[End of Clause]

2	52.215-4854 (TACOM)	PAPERLESS ELECTRONIC RESPONSES REQUIRED IN RESPONSE TO THIS SOLICITATION/REQUEST	JUL/2002
---	------------------------	--	----------

TACOM WILL NOT ACCEPT PAPER OFFERS IN RESPONSE TO THIS SOLICITATION/REQUEST. YOU ARE REQUIRED TO SUBMIT YOUR OFFER, BID, OR QUOTE VIA PAPERLESS ELECTRONIC MEDIA. SEE THE PROVISION ENTITLED "ELECTRONIC OFFERS (OR 'QUOTES' OR 'BIDS') REQUIRED IN RESPONSE TO THIS SOLICITATION (OR 'REQUEST FOR QUOTATIONS')" FOR MORE SPECIFIC INFORMATION.

[End of Clause]

Name of Offeror or Contractor:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	NSN: 2540-01-450-4022 FSCM: 19207 PART NR: 57K0160 SECURITY CLASS: Unclassified				
0001AA	<u>PRODUCTION QUANTITY</u> NOUN: COVER,FITTED,VEHICU PRON: EH4Y1640EH PRON AMD: 01 AMS CD: 070011 <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: AK14504022 LEVEL PRESERVATION: Military LEVEL PACKING: B <u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin <u>Deliveries or Performance</u> DOC				

Name of Offeror or Contractor:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0002	SECURITY CLASS: Unclassified				
0002AA	<div>Option Quantity</div> <div>Packaging and Marking</div> <div>PACKAGING/PACKING/SPECIFICATIONS: AK14504022 LEVEL PRESERVATION: Military LEVEL PACKING: B</div> <div>Inspection and Acceptance</div> <div>INSPECTION: OriginACCEPTANCE: Origin</div> <div>Deliveries or Performance</div> <div>DOC SUPPL</div> <div>REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD</div> <div>001</div> <div>DEL REL CD QUANTITY DAYS AFTER AWARD</div> <div>001 122 0180</div> <div>FOB POINT: Destination</div> <div>SHIP TO: FREIGHT ADDRESS</div> <div>(W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY BUILDING MISSION DOOR 113 134 NEW CUMBERLAND PA 17070-5001</div>	122	KT	\$	\$

<p style="text-align: center;">CONTINUATION SHEET</p>	<p style="text-align: center;">Reference No. of Document Being Continued</p> <p style="text-align: center;">PIIN/SIIN W56HZV-04-Q-0645 MOD/AMD</p>	<p style="text-align: center;">Page 5 of 26</p>
--	--	--

Name of Offeror or Contractor:

CONTRACT CLAUSES

3	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
4	52.217-5	EVALUATION OF OPTIONS	JUL/1990
5	52.219-6	NOTICE OF TOTAL SMALL BUSINESS SET-ASIDE	JUN/2003
6	52.222-19	CHILD LABOR--COOPERATION WITH AUTHORITIES AND REMEDIES	JAN/2004
7	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
8	52.225-13	RESTRICTIONS ON CERTAIN FOREIGN PURCHASES	JAN/2004
9	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFER--CENTRAL CONTRACTOR REGISTRATION	OCT/2003
10	52.246-1	CONTRACTOR INSPECTION REQUIREMENTS	APR/1984
11	252.211-7005	SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS	FEB/2003
12	252.225-7001	BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM	APR/2003
13	252.225-7016	RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS (Alternate I dated Dec 2000)	DEC/2000
14	52.209-1	QUALIFICATION REQUIREMENTS	FEB/1995

(a) Definition: Qualification requirement, as used in this clause, means a Government requirement for testing or other quality assurance demonstration that must be completed before award.

(b) One or more qualification requirements apply to the supplies or services covered by this contract. For those supplies or services requiring qualification, whether the covered product or service is an end item under this contract or simply a component of an end item, the product, manufacturer, or source must have demonstrated that it meets the standards prescribed for qualification before award of this contract. The product, manufacturer, or source must be qualified at the time of award whether or not the name of the product, manufacturer, or source is actually included on a qualified products list, qualified manufacturers list, or qualified bidders list. Offerors should contact the agency activity designated below to obtain all requirements that they or their products or services, or their subcontractors or their products or services, must satisfy to become qualified and to arrange for an opportunity to demonstrate their abilities to meet the standards specified for qualification.

(Name) SEE SUPPORTING ACTIVITY(IES) LISTED IN THE SPECIFICATION(S)
 (Address)

(c) If an offeror, manufacturer, source, product or service covered by a qualification requirement has already met the standards specified, the relevant information noted below should be provided.

Offeror's Name	_____
Manufacturer's Name	_____
Source's Name	_____
Item Name	_____
Service	_____
Identification_____	Test Number_____(to the extent known)

(d) Even though a product or service subject to a qualification requirement is not itself an end item under this contract, the product, manufacturer, or source must nevertheless be qualified at the time of award of this contract. This is necessary whether the Contractor or a subcontractor will ultimately provide the product or service in question. If, after award, the Contracting Officer discovers that an applicable qualification requirement was not in fact met at the time of award, the Contracting Officer may either terminate this contract for default or allow performance to continue if adequate consideration is offered and the action is determined to be otherwise in the Government's best interests.

(e) If an offeror, manufacturer, source product or service has met the qualification requirement but is not yet on a qualified products list, qualified manufacturers list, or qualified bidders list, the offeror must submit evidence of qualification prior to award of this contract. Unless determined to be in the Government's interest, award of this contract shall not be delayed to permit an offeror to submit evidence of qualification.

(f) Any change in location or ownership of the plant where a previously qualified product or service was manufactured or performed requires reevaluation of the qualification. Similarly, any change in location or ownership of a previously qualified manufacturer or source requires reevaluation of the qualification. The reevaluation must be accomplished before the date of award.

[End of Clause]

15	52.219-1	SMALL BUSINESS PROGRAM REPRESENTATIONS--ALTERNATE I dated APR 2002)	APR/2002
----	----------	---	----------

<p style="text-align: center;">CONTINUATION SHEET</p>	<p style="text-align: center;">Reference No. of Document Being Continued</p> <p style="text-align: center;">PIIN/SIIN W56HZV-04-Q-0645 MOD/AMD</p>	<p style="text-align: center;">Page 6 of 26</p>
--	--	--

Name of Offeror or Contractor:

(a)

(1) The North American Industry Classification System (NAICS) code for this acquisition is 314912.

(2) The small business size standard is 500.

(3) The small business size standard for a concern which submits an offer in its own name, other than on a construction or service contract, but which proposes to furnish a product which it did not itself manufacture, is 500 employees.

(b) Representations.

(1) The offeror represents as part of its offer that it ☐ is, ☐ is not, a small business concern.

(2) [Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.] The offeror represents, for general statistical purposes, that it ☐ is, ☐ is not, a small disadvantaged business concern as defined in 13 CFR 124.1002.

(3) [Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.] The offeror represents as part of its offer that it ☐ is, ☐ is not, a woman-owned small business concern.

(4) [Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.] The offeror represents as part of its offer that it ☐ is, ☐ is not, a veteran-owned small business concern.

(5) [Complete only if the offeror represented itself as a veteran-owned small business concern in paragraph (b)(4) of this provision.] The offeror represents as part of its offer that it ☐ is, ☐ is not, a service-disabled veteran-owned small business concern.

(6) [Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.] The offeror represents, as part of its offer, that -

(i) It ☐ is, ☐ is not, a HUBZone small business concern listed, on the date of this representation, on the List of Qualified HUBZone Small Business Concerns maintained by the Small Business Administration, and no material change in ownership and control, principal office, or HUBZone employee percentage has occurred since it was certified by the Small Business Administration in accordance with 13 CFR part 126; and

(ii) It ☐ is, ☐ is not, a joint venture that complies with the requirements of 13 CFR part 126, and the representation in paragraph (b)(6)(i) of this provision is accurate of the HUBZone small business concern or concerns that are participating in the joint venture. [The offeror shall enter the name or names of the HUBZone small business concern or concerns that are participating in the joint venture]: _____

Each HUBZone small business concern participating in the joint venture shall submit a separate signed copy of the HUBZone representation.

(7) [Complete if offeror represented itself as disadvantaged in paragraph (b)(2) of this provision.] The offeror shall check the category in which its ownership falls:

- ☐ Black American.
- ☐ Hispanic American.
- ☐ Native American (American Indians, Eskimos, Aleuts, or Native Hawaiians).
- ☐ Asian-Pacific American (persons with origins from Burma, Thailand, Malaysia, Indonesia, Singapore, Brunei, Japan, China, Taiwan, Laos, Cambodia (Kampuchea), Vietnam, Korea, The Philippines, U.S. Trust Territory of the Pacific Islands (Republic of Palau), Republic of the Marshall Islands, Federated States of Micronesia, the Commonwealth of the Northern Mariana Islands, Guam, Samoa, Macao, Hong Kong, Fiji, Tonga, Kiribati, Tuvalu, or Nauru).
- ☐ Subcontinent Asian (Asian-Indian) American (persons with origins from India, Pakistan, Bangladesh, Sri Lanka, Bhutan, the Maldives Islands, or Nepal).
- ☐ Individual/concern, other than one of the preceding.

(c) Definitions. As used in this provision--

"Service-disabled veteran-owned small business concern"--

(1) Means a small business concern-

(i) Not less than 51 percent of which is owned by one or more service-disabled veterans or, in the case of any publicly

<p style="text-align: center;">CONTINUATION SHEET</p>	<p style="text-align: center;">Reference No. of Document Being Continued</p> <p style="text-align: center;">PIIN/SIIN W56HZV-04-Q-0645 MOD/AMD</p>	<p style="text-align: center;">Page 7 of 26</p>
--	--	--

Name of Offeror or Contractor:

owned business, not less than 51 percent of the stock of which is owned by one or more service-disabled veterans; and

(ii) The management and daily business operations of which are controlled by one or more service-disabled veterans or, in the case of a veteran with permanent and severe disability, the spouse or permanent caregiver of such veteran.

(2) Service-disabled veteran means a veteran, as defined in 38 U.S.C. 101(2), with a disability that is service-connected, as defined in 38 U.S.C. 101(16).

"Small business concern," means a concern, including its affiliates, that is independently owned and operated, not dominant in the field of operation in which it is bidding on Government contracts, and qualified as a small business under the criteria in 13 CFR Part 121 and the size standard in paragraph (a) of this provision.

"Veteran-owned small business concern" means a small business concern-

(1) Not less than 51 percent of which is owned by one or more veterans (as defined at 38 U.S.C. 101(2)) or, in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more veterans; and

(2) The management and daily business operations of which are controlled by one or more veterans.

"Women-owned small business concern," means a small business concern --

(1) That is at least 51 percent owned by one or more women; or, in the case of any publicly owned business, at least 51 percent of the stock of which is owned by one or more women; and

(2) Whose management and daily business operations are controlled by one or more women.

(d) Notice.

(1) If this solicitation is for supplies and has been set aside, in whole or in part, for small business concerns, then the clause in this solicitation providing notice of the set-aside contains restrictions on the source of the end items to be furnished.

(2) Under 15 U.S.C. 645(d), any person who misrepresents a firm's status as a small, HUBZone small, small disadvantaged, or women-owned small business concern in order to obtain a contract to be awarded under the preference programs established pursuant to section 8(a), 8(d), 9, or 15 of the Small Business Act or any other provision of Federal law that specifically references section 8(d) for a definition of program eligibility, shall --

(i) Be punished by imposition of fine, imprisonment, or both;

(ii) Be subject to administrative remedies, including suspension and debarment; and

(iii) Be ineligible for participation in programs conducted under the authority of the Act.

[End of Provision]

16 52.204-4006 INCORPORATION OF TACOM MASTER SOLICITATION FOR SIMPLIFIED

(TACOM) ACQUISITIONS AND DESIGNATION OF F.O.B. POINT

MAY/2000

(a) This Request for Quotation (RFQ) or Purchase Order (PO) incorporates by reference TACOM-Warren's Master Solicitation for Simplified Acquisitions with the same force and effect as though the clauses and provisions it contains were physically incorporated into this document. The version in effect at time of award is the version that applies to your purchase order.

(b) The TACOM-Warren Master Solicitation for Simplified Acquisitions is available on our Electronic Contracting web page, which you can reach using the following URL address: <http://contracting.tacom.army.mil/opportunity.htm>

(c) The clauses and provisions in Section I of the Master Solicitation apply to all TACOM-Warren RFQs and Purchase Orders that contain this clause. The clauses contained in Section II of the Master Solicitation applies in addition to those in Section I when the RFQ or PO specifies F.O.B. Origin.

(d) We hereby specify that the required F.O.B. point for this acquisition is Destination.

(e) We will keep the Master Solicitation identified in this clause available on our Electronic Contracting web page during the entire period of performance of the purchase order. If the current Master Solicitation later is revised to incorporate a change in any of the clauses, the version specified in this clause will be retained, intact, in an archive area on our web page for continued reference and use.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-Q-0645 MOD/AMD	Page 8 of 26
Name of Offeror or Contractor:		

[End of Clause]

17 52.211-4053 REQUIRED TAILORING LANGUAGE TO ELIMINATE CLASS I OZONE-DEPLETING SUBSTANCES MAR/2000
(TACOM)

(a) The purchase description or Technical Data Package (TDP) for this purchase order incorporates one or more specifications or standards that, in their unmodified form, either authorize or require the use of Class I Ozone-Depleting Substances (CIODS). For purposes of your performance on this purchase order, those specifications (which are identified in paragraph (b) of this clause) are modified by special tailoring language which appears in the TACOM Acquisition Center's web-site. Directions for reaching our web-site and locating the required tailoring language appear in paragraph (c) of this clause.

(b) Tailoring language to eliminate the authorization or requirement to use Class I Ozone-Depleting Substances (CIODS) is hereby incorporated into this contract by reference. Packaging Specifications MIL-L-61002 and MIL-STD-129, where they apply, are affected by this tailoring language. Other specifications and standards affected are: FED-STD-191, MIL-C-53072, V-T-285.

(c) The CIODS listing that contains the required tailoring language is on the TACOM Acquisition Center web-site, which you can reach by using this URL: <http://contracting.tacom.army.mil/ciods.html>

[End of Clause]

18 52.242-4008 ROUTING OF SPECIAL PROCESS APPROVALS AUG/1994
(TACOM)

(a) Specification TT-C-490-, which is part of the technical data package for this contract, may require you to get approval from us prior to production for one or more special processes involved in producing this item. You are required to get prior approval unless the specification says otherwise.

(b) You will prepare the written procedures as the specification requires. You will then route the procedure through the Administrative Contracting Officer (ACO) for review and comment. Once you get the procedure back from the ACO, you will then forward it to the Procuring Contracting Officer (PCO) at TACOM for final approval. The correct address for the PCO is on the face page of this contract.

(c) You will cite (i) the contract number and (ii) the governing specification or standard on all procedures you submit for approval.

[End of Clause]

19 52.242-4022 DELIVERY SCHEDULE MAY/2000
(TACOM)

(a) The following delivery schedule applies to this procurement:

(1) See the Government's proposed schedule in Section B. Start deliveries 150 days after the date of award. Continue delivering every thirty (30) days, if necessary, until all items are delivered.

(2) You can accelerate delivery: at not additional cost to the Government.

(3) Delivery is defined as follows:

(i) FOB Origin - Contractor is required to deliver its shipment as provided in FAR 52.247-29(a)(1)-(4) by the time specified in the individual order.

(ii) FOB Destination - Contractor is required to deliver its shipment as provided in FAR 52.247-34(a)(1)-(2) by the time specified in the individual order. The contractor must take into consideration the length of time necessary to deliver its shipment to the destination designated in the order, to ensure that the item reaches its destination by the time reflected in the order.

(b) CONTRACTOR'S PROPOSED SCHEDULE:

(1) I WILL START DELIVERIES _____ DAYS AFTER THE AWARD DATE; OR, IF APPLICABLE, _____ DAYS AFTER AWARD IF FIRST ARTICLE TEST IS WAIVED.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-Q-0645 MOD/AMD	Page 9 of 26
Name of Offeror or Contractor:		

(2) I WILL DELIVER A QUANTITY OF _____ UNITS EVERY 30 DAYS, BUT I HAVE THE CAPABILITY TO DELIVER UP TO A MAXIMUM OF _____ UNITS EVERY 30 DAYS.

ATTENTION: IF YOU DO NOT INSERT A MAXIMUM QUANTITY ABOVE, YOU MAY BE REQUIRED TO DELIVER THE TOTAL QUANTITY ON THIS ORDER IN ONE SHIPMENT.

[End of Clause]

20 52.204-3 TAXPAYER IDENTIFICATION OCT/1998

(a) Definitions.

(1) "Common parent," as used in this solicitation provision, means that corporate entity that owns or controls an affiliated group of corporations that files its Federal income tax returns on a consolidated basis, and of which the offeror is a member.

(2) "Taxpayer Identification Number (TIN)," as used in this provision, means the number required by the Internal Revenue Service (IRS) to be used by the offeror in reporting income tax and other returns. The TIN may be either a Social Security Number or an Employer Identification Number.

(b) All offerors must submit the information required in paragraphs (d) through (f) of this provision to comply with debt collection requirements of 31 U.S.C. 7701(c) and 3325(d), reporting requirements of 26 U.S.C. 6041, 6041A, and 6050M and implementing regulations issued by the IRS. If the resulting contract is subject to the reporting requirements described in Federal Acquisition Regulation (FAR) 4.904, the failure or refusal by the offeror to furnish the information may result in a 31 percent reduction of payments otherwise due under the contract.

(c) The TIN may be used by the Government to collect and report on any delinquent amounts arising out of the offeror's relationship with the government (31 U.S.C. 7701(c)(3)). If the resulting contract is subject to the payment reporting requirements described in FAR 4.904, the TIN provided hereunder may be matched with IRS records to verify the accuracy of the offeror's TIN.

(d) Taxpayer Identification Number (TIN).

* TIN:_____.

* TIN has been applied for.

* TIN is not required because:

* Offeror is a nonresident alien, foreign corporation, or foreign partnership that does not have income effectively connected with the conduct of a trade or business in the United States and does not have an office or place of business or a fiscal paying agent in the United States;

* Offeror is an agency or instrumentality of a foreign government;

* Offeror is an agency or instrumentality of a Federal Government;

* Other. State basis._____

(e) Type of organization.

* Sole proprietorship;

* Partnership;

* Corporate entity (not tax-exempt):

* Corporate entity (tax-exempt):

* Government entity (Federal, State, or local);

* Foreign government;

* International organization per 26 CFR 1.6049-4;

Name of Offeror or Contractor:

* Other _____.

(f) Common Parent.

* Offeror is not owned or controlled by a common parent as defined in paragraph (a) of this provision.

* Name and TIN of common parent:

Name _____

TIN _____

[End of Provision]

21 52.207-4 ECONOMIC PURCHASE QUANTITY -- SUPPLIES AUG/1987

(a) Offerors are invited to state an opinion on whether the quantity(ies) of supplies on which bids, proposals, or quotations are requested in this solicitation is (are) economically advantageous to the Government.

(b) Each offeror who believes that acquisitions in different quantities would be more advantageous is invited to recommend an economic purchase quantity. If different quantities are recommended, a total and a unit price must be quoted for applicable items. An economic purchase quantity is that quantity at which a significant price break occurs. If there are significant price breaks at different quantity points, this information is desired as well.

OFFEROR RECOMMENDATION

<u>ITEM</u>	<u>QUANTITY</u>	<u>PRICE QUOTATION</u>	<u>TOTAL</u>
_____	_____	_____	_____
_____	_____	_____	_____

(c) The information requested in this provision is being solicited to avoid acquisitions in disadvantageous quantities and to assist the Government in developing a data base for future acquisitions of these items. However, the Government reserves the right to amend or cancel the solicitation and resolicit with respect to any individual item in the event quotations received and the Government's requirements indicate that different quantities should be acquired.

[End of Provision]

22 52.222-22 PREVIOUS CONTRACTS AND COMPLIANCE REPORTS FEB/1999

The offeror represents that--

(1) It ☐ has
☐ has not

participated in a previous contract or subcontract subject to the EQUAL OPPORTUNITY clause of this solicitation;

(2) It ☐ has
☐ has not

filed all required compliance reports; and

(3) Representations indicating submission of required compliance reports, signed by proposed subcontractors, will be obtained before subcontract awards.

[End of Provision]

CONTINUATION SHEET	Reference No. of Document Being Continued PIN/SIIN W56HZV-04-Q-0645 MOD/AMD	Page 11 of 26
Name of Offeror or Contractor:		

23 52.222-25 AFFIRMATIVE ACTION COMPLIANCE APR/1984

The offeror represents that

- (1) It [] has developed and has on file
[] has not developed and does not have on file,

at each establishment, affirmative action programs required by the rules and regulations of the Secretary of Labor (41 CFR 60-1 and 60-2), or

(2) It [] has not previously had contracts subject to the written affirmative action programs requirement of the rules and regulations of the Secretary of Labor.

[End of Provision]

24 252.223-7001 HAZARD WARNING LABELS DEC/1991

(a) Hazardous material, as used in this clause, is defined in the Hazardous Material Identification and Material Safety Data clause of this contract.

(b) The Contractor shall label the item package (unit container) of any hazardous material to be delivered under this contract in accordance with the Hazard Communication Standard (29 CFR 1910.1200 et seq). The Standard requires that the hazard warning label conform to the requirements of the standard unless the material is otherwise subject to the labelling requirements of one of the following statutes:

- (1) Federal Insecticide, Fungicide and Rodenticide Act;
(2) Federal Food, Drug and Cosmetics Act;
(3) Consumer Product Safety Act;
(4) Federal Hazardous Substances Act; or
(5) Federal Alcohol Administration Act.

(c) The Offeror shall list which hazardous material listed in the Hazardous Material Identification and Material Safety Data clause of this contract will be labelled in accordance with one of the Acts in paragraphs (b)(1) through (5) of this clause instead of the Hazard Communication Standard. Any hazardous material not listed will be interpreted to mean that a label is required in accordance with the Hazard Communication Standard.

MATERIAL (If None, Insert None.)

ACT

(d) The apparently successful Offeror agrees to submit, before award, a copy of the hazard warning label for all hazardous materials not listed in paragraph (c) of this clause. The Offeror shall submit the label with the Material Safety Data Sheet being furnished under the Hazardous Material Identification and Material Safety Data clause of this contract.

(e) The Contractor shall also comply with MIL-STD-129, Marking for Shipment and Storage (including revisions adopted during the term of this contract).

[End of Clause]

25 252.225-7000 BUY AMERICAN ACT--BALANCE OF PAYMENTS PROGRAM CERTIFICATE APR/2003

(a) Definitions. "Domestic end product," "foreign end product," "qualifying country," and "qualifying country end product" have the meanings given in the Buy American Act and Balance of Payments Program clause of this solicitation.

<p style="text-align: center;">CONTINUATION SHEET</p>	<p style="text-align: center;">Reference No. of Document Being Continued</p> <p style="text-align: center;">PIIN/SIIN W56HZV-04-Q-0645 MOD/AMD</p>	<p style="text-align: center;">Page 12 of 26</p>
--	--	---

Name of Offeror or Contractor:

(b) Evaluation. The Government-

(1) Will evaluate offers in accordance with the policies and procedures of Part 225 of the Defense Federal Acquisition Regulation Supplement; and

(2) Will evaluate offers of qualifying country end products without regard to the restrictions of the Buy American Act or the Balance of Payments Program.

(c) Certifications and identification of country of origin.

(1) For all line items subject to the Buy American Act and Balance of Payments Program clause of this solicitation, the offeror certifies that-

(i) Each end product, except those listed in paragraphs (c)(2) or (3) of this provision, is a domestic end product; and

(ii) Components of unknown origin are considered to have been mined, produced, or manufactured outside the United States or a qualifying country.

(2) The offeror certifies that the following end products are qualifying country end products:

Line Item Number	Country of Origin
_____	_____
_____	_____

(3) The following end products are other foreign end products:

Line Item Number	Country of Origin (If known)
_____	_____
_____	_____

[End of Provision]

26 252.247-7023 TRANSPORTATION OF SUPPLIES BY SEA (Alternate III dated May 2002) MAY/2002

(a) Definitions. As used in this clause--

(1) Components means articles, materials, and supplies incorporated directly into end products at any level of manufacture, fabrication, or assembly by the Contractor or any subcontractor.

(2) Department of Defense (DoD) means the Army, Navy, Air Force, Marine Corps, and defense agencies.

(3) Foreign flag vessel means any vessel that is not a U.S.-flag vessel.

(4) Ocean transportation means any transportation aboard a ship, vessel, boat, barge, or ferry through international waters.

(5) Subcontractor means a supplier, materialman, distributor, or vendor at any level below the prime contractor whose contractual obligation to perform results from, or is conditioned upon, award of the prime contract and who is performing any part of the work or other requirement of the prime contract. However, effective May 1, 1996, the term does not include a supplier, materialman, distributor, or vendor of commercial items or commercial components.

(6) Supplies means all property, except land and interests in land, that is clearly identifiable for eventual use by or owned by the DoD at the time of transportation by sea.

(i) An item is clearly identifiable for eventual use by the DoD if, for example, the contract documentation contains a reference to a DoD contract number or a military destination.

(ii) Supplies includes (but is not limited to) public works; buildings and facilities; ships; floating equipment and vessels of every character, type, and description, with parts, subassemblies, accessories, and equipment; machine tools; material; equipment; stores of all kinds; end items; construction materials; and components of the foregoing.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-Q-0645 MOD/AMD	Page 13 of 26
Name of Offeror or Contractor:		

(7) U.S.-flag vessel means a vessel of the United States or belonging to the United States, including any vessel registered or having national status under the laws of the United States.

- (b)(1) The Contractor shall use U.S.-flag vessels when transporting any supplies by sea under this contract.
- (2) A subcontractor transporting supplies by sea under this contract shall use U.S.-flag vessels if-
 - (i) This contract is a construction contract; or
 - (ii) The supplies being transported are-
 - (A) Noncommercial items; or
 - (B) Commercial items that-
 - (1) The Contractor is reselling or distributing to the Government without adding value (generally, the Contractor does not add value to items that it subcontracts for f.o.b. destination shipment);
 - (2) Are shipped in direct support of U.S. military contingency operations, exercises, or forces deployed in humanitarian or peacekeeping operations; or
 - (3) Are commissary or exchange cargoes transported outside of the Defense Transportation System in accordance with 10 U.S.C. 2643.

(c) The Contractor and its subcontractors may request that the Contracting Officer authorize shipment in foreign-flag vessels, or designate available U.S.-flag vessels, if the Contractor or a subcontractor believes that--

- (1) U.S.-flag vessels are not available for timely shipment;
 - (2) The freight charges are inordinately excessive or unreasonable; or
 - (3) Freight charges are higher than charges to private persons for transportation of like goods.
- (d) The Contractor must submit any request for use of other than U.S.-flag vessels in writing to the Contracting Officer at least 45 days prior to the sailing date necessary to meet its delivery schedules. The Contracting Officer will process requests submitted after such date(s) as expeditiously as possible, but the Contracting Officer's failure to grant approvals to meet the shipper's sailing date will not of itself constitute a compensable delay under this or any other clause of this contract. Requests shall contain at a minimum--

- (1) Type, weight, and cube of cargo;
- (2) Required shipping date;
- (3) Special handling and discharge requirements;
- (4) Loading and discharge points;
- (5) Name of shipper and consignee;
- (6) Prime contract number; and
- (7) A documented description of efforts made to secure U.S.-flag vessels, including points of contact (with names and telephone numbers) with at least two U.S.-flag carriers contacted. Copies of telephone notes, telegraphic and facsimile message or letters will be sufficient for this purpose.

(e) The Contractor shall, within 30 days after each shipment covered by this clause, provide the Contracting Officer and the Division of National Cargo, Office of Market Development, Maritime Administration, U.S. Department of Transportation, Washington, DC 20590, one copy of the rated on board vessel operating carrier's ocean bill of lading, which shall contain the following information--

- (1) Prime contract number;
- (2) Name of vessel;
- (3) Vessel flag of registry;
- (4) Date of loading;
- (5) Port of loading;
- (6) Port of final discharge;
- (7) Description of commodity;

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-Q-0645 MOD/AMD	Page 14 of 26
Name of Offeror or Contractor:		

(8) Gross weight in pounds and cubic feet if available;

(9) Total ocean freight in U.S. dollars; and

(10) Name of the steamship company.

(f) The Contractor shall insert the substance of this clause, including this paragraph (f) in subcontracts that are for a type of supplies described in paragraph (b)(2) of this clause.

[End of Clause]

27 52.204-4005 REQUIRED USE OF ELECTRONIC CONTRACTING DEC/2002
(TACOM)

(a) All contract awards, modifications and delivery orders issued by TACOM will be issued electronically. The contractor has the option to receive these actions either via the Worldwide Web (WWW) or Electronic Data Interchange (EDI). Many provisions/clauses that appear "by reference", meaning only clause titles and regulation site are listed; their full texts can be found at the website <http://farsite.hill.af.mil/>

(b) In order to be eligible to receive an award under this solicitation, the successful offeror must be registered with the Department of Defense (DOD) Central Contractor Registration (CCR). The CCR registration process may be done electronically at the World Wide Web (WWW) site: <http://www.ccr.gov/> . (In order to be registered to use EDI, you must use the long form for registration. Certification information, including information on the EDI 838 TPP, must be furnished to the Contracting Officer within 60 calendar days after contract award to complete networking requirements within the Government.)

(c) Worldwide Web Distribution. The contractor will receive an electronic Notice of the Award, Modification, or Delivery Order via e-mail. If you choose the WWW option, you must download the file from the appropriate TACOM webpage:

Warren: http://contracting.tacom.army.mil/awards_official.htm
Rock Island: <http://aais.ria.army.mil/AAIS/AWDINFO/index.htm>
Picatinny: <http://procnet.pica.army.mil/Contracts/Index.htm>
Red River Army Depot: <http://www.redriver.army.mil/contracting/Awards>
Anniston Army Depot: <http://www.anadprocnet.army.mil>

(d) Electronic Data Interchange. If you choose to receive contract awards, modifications and delivery orders through EDI, they will be delivered electronically via the Federal Acquisition Network (FACNET). Federal Standard Version 3050 of Standard X12 from the American National Standards Institute (ANSI) will be used as the format for these electronic transactions.

(1) You must complete the EDI 838 Trading Partner Profile, and must agree (i) to subcontract with a DoD certified VAN or Value Added Service (VAS) provider, or (ii) to become DoD certified as a Value Added Network (VAN). The EDI 838 Training Partner Profile is contained in the basic CCR registration form and includes portions of the registration form which are titled "Optional".

(2) You must select a VAN from the official DoD approved list. DoD Certified VANs are listed at <http://www.acq.osd.mil/ec/ecip/index.htm> . If your VAN is later removed from the official list, or if you voluntarily drop your initially selected VAN, then you must switch to a VAN that remains on the official DoD approved list. You must maintain an active account on a DoD approved VAN for the entire duration of the contract, beginning no later than the 60th day after award.

(e) Unless otherwise specified elsewhere in the contract, all data items you are required to provide under this contract must be submitted electronically. Acceptable formats include:

(1) Microsoft* 97 Office Products (TACOM can currently read OFFICE 97* and lower.): Word, Excel, Powerpoint, or Access

(2) 100 OR 250 MEGABYTE ZIP*-DISK, 3 1/2 INCH DISK, OR 650 MEGABYTE CD ROM

(3) E-MAIL (Maximum size of each e-mail message is be three and one-half (3.5) megabytes).

(4) Other electronic formats. Before submitting your data in any other electronic format, please e-mail the buyer identified on the face of the contract, with e-mail copy-furnished to amsta-idq@tacom.army.mil, to obtain a decision as to the format's acceptability. This e-mail must be received by the buyer not later than ten calendar days before the required data submission date.

NOTE: The above formats may be submitted in compressed form using self-extracting files.

(f) Additional information can be obtained by sending a message to: acqcenweb@tacom.army.mil or by calling (586) 574-7059.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-Q-0645 MOD/AMD	Page 15 of 26
Name of Offeror or Contractor:		

[End of Clause]

28 52.204-4007 OFFEROR'S DATAFAX NUMBER, E-MAIL ADDRESS, AND CAGE CODE MAY/2000
 (TACOM)

(a) If you have a company data fax number, please provide it on the following line:_____

(b) If you have a company Internet address that we can use in the future when sending out electronic notices and possibly solicitations, please provide the complete e-mail address on the following line:_____

(c) Provide your CAGE (Contractor And Government Entity) code here: _____

[End of Provision]

29 52.204-4009 MANDATORY USE OF CONTRACTOR TO GOVERNMENT ELECTRONIC COMMUNICATION JUN/1999
 (TACOM)

(a) All references in the contract to the submission of written documentation shall mean electronic submission. All electronic submissions shall be in the formats and media described in the "Electronic Quotations/Offers/Bids Required in Response to this Request for Quotations/Proposals/Bids" clause elsewhere in this document. (See Section K for commercial acquisitions, Section L for RFPs, and Section I for RFQs.)

(b) This shall include all written unclassified communications between the Government and the Contractor except contract awards and contract modifications which shall be posted on the internet. Return receipt shall be used if a commercial application is available. Classified information shall be handled in full accordance with the appropriate security requirements.

(c) In order to be contractually binding, all Government communications requiring a Contracting Officer signature must be sent from the Contracting Officer's e-mail address. The Contractor shall designate the personnel with signature authority who can contractually bind the contractor. All binding contractor communication shall be sent from this contractor e-mail address(es).

(d) Upon award, the Contractor shall provide the Contracting Officer with a list of e-mail addresses for all administrative and technical personnel assigned to this contract.

(e) Unless exempted by the Procuring Contracting Officer in writing, all unclassified written communication after contract award shall be transmitted electronically.

[End of Clause]

30 52.211-4008 DRAWING LIMITATIONS NOV/2002
 (TACOM)

(a) The drawings supplied with this contract are not shop or process drawings. They are engineering design drawings. They are adequate to permit manufacture, and:

(1) depict the completed (item(s), and

(2) serve as the basis for inspection of the completed item(s).

(b) These drawings DON'T cover intermediate drawings/specifications or steps in the manufacturing process. As a result, even if you meet all the dimensions and tolerances specified in the engineering design drawing for each individual part, a cumulative unacceptable fit for the contract item could result.

(c) YOU ARE RESPONSIBLE for producing the shop or process drawings needed to cover intermediate steps in the manufacturing process.

(d) The Contractor agrees that he has obtained all specifications and drawings necessary to manufacture the items being solicited in accordance with the TDP including all incorporated specifications and drawings. The contractor is responsible for having all drawings and specifications. Delivery delays are not excusable where the contractor asserts that it did not have a specification or drawing and has failed to request, in writing, the specification from either the Contracting Officer or Contract Specialist prior to the solicitation closing date.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-Q-0645 MOD/AMD	Page 16 of 26
Name of Offeror or Contractor:		

(e) If you fail to produce an end item with a cumulative fit that conforms to Government drawings, specifications or other supplemental manufacturing documentation, you'll be responsible for correcting this condition at no additional cost to the Government and no delivery schedule extension.

[End of Clause]

31	52.211-4016	TT-C-490, TYPE I, ZINC PHOSPHATE PRETREATMENT SYSTEMS FOR CARC	OCT/2002
	(TACOM)		

(a) If the technical data package requires the use of a TT-C-490, Type I, pretreatment system, the process including primer application must be approved by the procuring activity prior to use. All approved facilities have been provided a letter of system approval which identifies the specific phosphate chemical system and the limitations/exceptions authorized. These approval letters must be dated no later than January 1989. Letters of approval which do not identify the chemical system are limited to approval on a specific contract only and do not have carte blanc approval. Approvals are substrate specific. The default qualification is low carbon steel. Heat treated, low alloy steel and galvanized steels require special qualification.

(b) Any zinc phosphate application facility requesting approval must submit the procedure to TACOM, ATTN: AMSTA-TR-E/267 for review at least 35 days before planned start-up. The procedure must identify the prime contractor and the contract number. The procedure must contain all the elements required per paragraph 3.2 of TT-C-490. A qualification audit will be arranged with the facility. The facility must demonstrate its ability to perform all required process control tests and operate successfully within its designated operating parameters.

(c) If the contractor cannot find a capable facility within his area, a list of TACOM approved facilities is available at <http://contracting.tacom.army.mil/engr/eng.htm> . These facilities are capable of meeting the performance requirements in the specification.

(d) For all TT-C-490, Type I facilities, the sentence "Sampling may then be reduced to one sample twice per week" in paragraph 4.2.8 of TT-C-490 is deleted and replaced with the following " Sampling for production control is required with the testing of two phosphated and primed specimens per month for each solvent-borne primer used and two specimens every two months for electrocoat primers".

[End of Clause]

32	52.211-4017	ENHANCED CARC REQUIREMENTS FOR HIGH PERFORMANCE SYSTEMS	JUN/2002
(a) THE FOLLOWING REQUIREMENTS SUPERSEDE THE PERFORMANCE REQUIREMENTS CONTAINED IN TT-C-490, MIL-C-5541 AND MIL-C-53072 RELATIVE TO THE ADHESION AND CORROSION RESISTANCE OF THE CARC SYSTEM:			

(b) Ferrous and galvanized surfaces shall be cleaned and pretreated to provide the following level of performance on a repeatable basis. The cleaning/pretreatment/control process shall be documented and submitted to the procuring activity for approval prior to production. Qualification and process control testing shall be performed on the same substrate used in production. The system under test shall consist of the pretreatment and primer. There are significant variations in performance due to primer manufacturer, VOC content and primer thickness variation. Sufficient testing shall be conducted to achieve a statistical confidence in both the brand/type of primer used and the dry film thickness used in production. If the tolerance of the dry film thickness exceeds plus or minus 1.0 mil then you must qualify the extremes of the range separately.

(c) To verify the corrosion resistance, a minimum of three test panels per test variation no smaller than 4 x 12 inches with the pretreatment/primer system as noted above shall be subjected to 1000 hr. of neutral salt spray per ASTM B117 (40 cycles of GM 9540P - scribed is the preferred alternative) for ferrous substrates or 40 cycles of GM 9540P for galvanized surfaces. The test panels shall be cured for a minimum of 7 days and vertically scribed through the coating system to the metallic layer. A minimum of 24 hr. after the completion of the neutral salt spray test or within 5 days after completion of the GM 9540P test the scribe shall be scraped at a 30 degree (approximate) contact angle with a 38mm (approximate) blunt tipped metal blade such as a putty knife parallel and perpendicular to the scribe. There shall be no more than 3mm maximum loss of paint adhesion or corrosion at any point from the scribe line. In addition, there shall be no more than 5 blisters in the field with none exceeding 1mm; corrosion in the field shall not exceed Rust Grade 9 of ASTM D610. The minimum primer dry film thickness noted on the test panels which passes the corrosion resistance test shall be the minimum requirement for production painted hardware.

(d) To verify long term CARC adhesion, after completion of the corrosion resistance test evaluation each test panel will be subjected to cross hatch tape test (minimum tape adhesion rating of 45 oz. per inch of width). The test pattern shall be 4 x 4 scribe lines to the metallic layer at 2mm intervals(approximate) and shall be done no closer than 12 mm from any edge or the scribe creep. Multiple head cutters are not recommended. Loss of two or more complete primer squares shall constitute failure.

(e) The contractor must demonstrate the ability to pass both tests for the system to be considered acceptable. This testing shall

<p style="text-align: center;">CONTINUATION SHEET</p>	<p style="text-align: center;">Reference No. of Document Being Continued</p> <p style="text-align: center;">PIIN/SIIN W56HZV-04-Q-0645 MOD/AMD</p>	<p style="text-align: center;">Page 17 of 26</p>
--	--	---

Name of Offeror or Contractor:

be performed on 5 consecutive days of production. If all test panels are acceptable, the testing can revert to two test panels every two months of production.

(f) The only system that is currently available to achieve this level of performance is a zinc phosphate pretreatment system per TT-C-490 with a high quality primer. All primers used must be on the QPL for MIL-P-23377, 53022, -53030, or 53084. Not all QPL primers with the exception of electrocoat primers per MIL-C-53084 have this level of corrosion resistance/paint adhesion, however. New high performance, "Combat Grade" Powder Coat Primers will also meet this performance requirement. These primers can only be applied by approved applicators. The Specification controlling both the primers and their application are available upon request from AMSTA-TR-E/MEPS, (586) 574-5083.

Note: Hot dipped galvanized surfaces are highly prone to chlorine/chloride contamination from the galvanizing flux process. This contaminant must be removed for the coating system to pass these performance tests.

(g) For aluminum substrates the required pretreatment system is a chromate conversion per MIL-C-5541. If alternative pretreatment systems wish to be considered, they must demonstrate their ability to pass when coated with the nominal production primer (scribed) 120 cycles of GM 9540P. After completion of the test, the panels shall be scraped as noted above and shall have no more than 0.5mm of paint loss maximum from the scribe. In addition, there shall be no more than 5 blisters in the field with none larger than 1mm. After completion of the 120 cycle test, the cross hatch scribe test noted above shall be performed. The removal of one or more complete squares of primer shall constitute failure. The alternate system must demonstrate its ability to provide an acceptable product on 5 consecutive days of production to be considered a suitable alternative. The alternative process must be documented and approved by the procuring activity. Controls must be established to assure that the process remains under statistical control. The only alternative products which have demonstrated their ability to meet these requirements for 5000 and 6000 series aluminum alloys are Alodine 5200 and Alodine 5700.

(h) Failure to meet the corrosion resistance/adhesion requirements shall be cause for rejection of all production units manufactured during that production interval.

(i) Final Acceptance of the CARC Finish on Production Hardware:
The dry film thicknesses of the primer and topcoat as well as coating adhesion on the fully cured primer/topcoat coating system are mandatory requirements. Variations in the primer thickness and curing conditions will dramatically affect recoat windows and coating performance for some primers. Manufacturing processes which are unable to control the dry film thickness to the requirements contained in Table V of MIL-C-53072 shall be subjected to the 4 x 4 cross hatch scribe test noted above on two production units per lot with two tests per unit. One test shall be conducted on a vertical and one on a horizontal surface (relative to the painting process). There shall be a maximum removal of one complete square of primer/topcoat or topcoat only. The polyurethane CARC topcoat requires approximately 24 days to completely cure at 68 Degrees F. To accelerate the curing for purposes of product acceptance, the following procedure may be followed: Cure at 190-210 degrees F for three hours (this is time at temperature and is, therefore, material thickness dependent) once the topcoat has reached a dry-to-touch condition. This is to be followed by 7 days at 65 degrees F minimum. Adhesion testing shall be performed only on a completely cured CARC finish. Contractors which have performed a thorough design of experiments methodology to evaluate the impact of paint system variables or have processes which meet Table V requirements can perform the final acceptance adhesion test on representative test coupons.

[End of Clause]

33	52.211-4030 (TACOM)	SPECIAL TESTING REQUIREMENTS FOR CHEMICAL AGENT RESISTANT COATINGS (CARC) ON METALLIC SURFACES	MAR/2001
(a)	<u>Application:</u> MIL-C-46168 MIL-C-53039 MIL-PRF-22750		
(b)	<u>End-Item Paint Inspection:</u>	After the complete paint finish has been applied and cured* (See *Note, below), the Contractor shall test and inspect two units per lot for (i) workmanship, (ii) total paint film thickness, and (iii) paint adhesion. Unless otherwise agreed to between the Contractor and the cognizant Government quality assurance representative, a <u>lot</u> shall be defined as all units submitted for final Government acceptance at one time. The use of test panels in lieu of actual production units is prohibited. At final inspection, the cumulative total paint film thickness of pretreatment, primer, and topcoat shall at a minimum conform to the sum of the minimum thicknesses for individual elements of the paint finish as specified in the Film Thickness Table below. Sufficient locations shall be spot-checked to ensure proper workmanship and paint thickness uniformity. The size and configuration of the unit as well as the number of vendors responsible for the paint finish of component parts shall be taken into consideration in determining the number of locations to be checked. The specific number of test locations shall be agreed to by the cognizant Government quality assurance representative in advance. In addition, two locations on each sample unit shall be selected to conduct the scribe tape test. The test locations shall be routinely varied among the following:	
	(1) Directly adjacent to a weld	(2) On or directly adjacent to a machine cut or sheared edge.	

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-Q-0645 MOD/AMD	Page 18 of 26
--------------------	---	---------------

Name of Offeror or Contractor:

- (3) On any mechanically formed surface when lubricants/drawing compounds were used.
- (4) On paint touch-up areas.

(c) The precise location for each scribe tape test shall be in an inconspicuous location that has been accepted by the cognizant Government quality assurance representative before the test is conducted.

(d) Upon completion of the scribe tape test, the scribe marks shall be feathered into the adjacent area and touched up with the required top coat so that the tested area again conforms to the applicable minimum specified in the Film Thickness Table below.

*Note: The complete paint finish is defined as the pretreatment, primer, and topcoat applied to the substrate. Curing of the complete paint finish is dependent upon temperature, humidity, and paint film thickness. The time necessary to achieve sufficient adhesion to pass the scribe tape test must be determined by each facility. For purposes of this test, curing at ambient temperature will take from 24 days.

(e) Test Methods:

(1) Film Thickness. Film thickness shall be verified with a nondestructive film gage. The gage shall be suitable for measurements over the applicable substrate material and shall have sufficient accuracy to ensure compliance to the thickness limitations. The gage shall be capable of being calibrated. If no other calibration specification or requirement is identified elsewhere in this contract, then the gage shall be calibrated in accordance with ISO 10012.

(2) Scribe Tape Test. The following test procedure shall be followed. The test surface shall be sufficiently warm and dry to ensure adhesion of the tape. All dimensions cited in this Scribe Tape Test description are approximate:

(i) Scribe four one-inch lines completely through the paint finish to the substrate, one sixteenth to three thirty-seconds of an inch apart.

(ii) Scribe four additional one-inch lines, completely through the paint finish, one sixteenth to three thirty-seconds of an inch apart, rotated 90 degrees with respect to the first set of lines. The resulting pattern shall contain nine squares.

(iii) Press a length of A-A-1830, A-A-884, or any commercially available tape with a minimum adhesion rating of 45 oz. per inch of width firmly over the scribed pattern, rubbing out all air pockets.

(iv) Wait 10 seconds, minimum. Grasp a free end of the tape and at a rapid speed strip it from the paint surface by pulling the tape back upon itself at 180 degrees.

(f) Interpretation of Test Results

NOTE: These two tests are not a substitute for corrosion tests such as neutral salt spray or accelerated corrosion tests which verify coating durability.

(1) Film Thickness. All applicable surfaces shall have complete paint coverage. A minimum of 75% of the applicable surfaces of each test unit shall meet the minimum, cumulative dry film thickness requirements. Failure of either test unit shall result in rejection of the production lot that it represents.

FILM THICKNESS TABLE

SPECIFICATION	DRY FILM THICKNESS (Mils)
DOD-P-15328*	0.3 - 0.5
MIL-PRF-23377	1.0 - 1.5
MIL-P-53022	1.0 - 1.5
MIL-PRF-22750	1.3 - 1.7
MIL-P-53030	1.0 - 1.5
MIL-C-46168	1.8 - 3.2
MIL-C-53039	1.8 - 3.2

*May not be allowed per contract due to VOC and hexavalent chromium content.

<p style="text-align: center;">CONTINUATION SHEET</p>	<p style="text-align: center;">Reference No. of Document Being Continued</p> <p style="text-align: center;">PIIN/SIIN W56HZV-04-Q-0645 MOD/AMD</p>	<p style="text-align: center;">Page 19 of 26</p>
--	--	---

Name of Offeror or Contractor:

(2) Scribe Tape Test (Adhesion). The removal of two or more complete squares of top coat, or top coat-primer-pretreatment coating, from either test unit constitutes test failure and the production lot from which it comes is rejected. Removal of overspray does not constitute test failure.

Notice: The scribe tape test is designed to detect any deficiency in the paint application process that would affect the durability of the CARC finish. Typical causes of failure are:

- (i) Inadequate cleaning of the substrate.
- (ii) Contamination of the surface between coatings.
- (iii) Excessive paint film thickness in a single coating application.
- (iv) Application of a coating over a previous coating which has not been adequately cured.

It is strongly recommended that the Contractor implement rigid in-process controls in conjunction with the best industrial painting practices to ensure that the performance requirements specified in this clause are met.

[End of Clause]

34	52.211-4036	FORMAT OF THE TECHNICAL DATA PACKAGE	APR/2000
	(TACOM)		

(a) The TDP for the contract item is available only in electronic format via the TACOM Contracting Webpage (contracting.tacom.army.mil). TACOM-Warren has discontinued its practice of providing hard copies (i.e. CD ROM) of technical data packages (TDPs). You must obtain a copy of the TDP for this solicitation via the TACOM Contracting Webpage. For those TDPs not available via the webpage, the TDP will be issued free of charge in CD-ROM format. The CD-ROM includes the necessary software to access, view, and print individual images that are included in the TDP. The CD-ROM can be read in any personal computer that includes a CD-ROM drive. If your company does not have a personal computer with a CD-ROM drive, you can take the CD-ROM disk to any of various commercial computing or copying/printing service, to have hard copies produced.

(b) TDPs available via the TACOM Contracting Webpage may be purchased in CD ROM format for a fee of \$4.60 each. Requests for CD ROMs and payment should be mailed to:

USATACOM
AMSTA-CM-CDD (TDP Requests)
Warren, MI 48397-5000

Make checks payable to the United States Treasury. Points of Contact for this initiative: Gerri Mackey and Diane Woods at (586) 574-7061, and Gloria McCullough at (586) 574-7064.

[End of Provision]

35	52.211-4047	NOTICE TO OFFERORS INTENDING TO OFFER OTHER THAN NEW MATERIAL	APR/2000
	(TACOM)	(NEGOTIATED)	

(a) We intend to acquire only new material. Unless this contract otherwise requires virgin material or supplies composed of, or manufactured from, virgin material, the contractor shall provide supplies that are new, as defined in this clause.

(b) Definitions:

(1) "New" means composed of previously unused components, whether manufactured from virgin material, recovered material in the form of raw material, or materials and by-products generated from, and reused within, an original manufacturing process; provided that the supplies meet contract requirements, including but not limited to, performance, reliability, and life expectancy.

(2) "Reconditioned" means restored to the original normal operating condition by readjustments and material replacement.

(3) "Recovered material" means waste materials and by-products that have been recovered or diverted from solid waste including post-consumer material, but such term does not include those materials and by-products generated from, and commonly reused within, an original manufacturing process.

<p style="text-align: center;">CONTINUATION SHEET</p>	<p style="text-align: center;">Reference No. of Document Being Continued</p> <p style="text-align: center;">PIIN/SIIN W56HZV-04-Q-0645 MOD/AMD</p>	<p style="text-align: center;">Page 20 of 26</p>
--	--	---

Name of Offeror or Contractor:

(4) "Remanufactured" means factory rebuilt to original specifications.

(5) "Virgin material" means previously unused raw material, including previously unused copper, aluminum, lead, zinc, iron, other metal or metal ore, or any undeveloped resource that is, or with new technology will become, a source of raw materials

(6) "Residual Inventory" means inventory from a transferred or terminated Government or commercial contract.

(c) Used, reconditioned, remanufactured supplies, unused former Government surplus property, or residual inventory shall not be used unless the contractor has proposed the use of such supplies, and the Contracting Officer has authorized their use.

(d) Offers to provide other than new material shall be submitted to the Contracting Officer for approval:

(1) A proposal to provide unused former Government surplus property shall include a complete description of the material, the quantity, the name of the Government agency from which acquired, and the date of acquisition.

(2) A proposal to provide used, reconditioned, or remanufactured supplies shall include a detailed description of such supplies.

(3) A proposal to provide residual inventory shall include the Government or commercial contract number of the terminated contract and the name of the original contractor.

(e) If the use of used, reconditioned, remanufactured items, unused former Government surplus property, or residual inventory are approved by the Contracting Officer, we may require you to meet specific marking, inspection, and testing requirements beyond those found in this solicitation. We will negotiate these additional requirements with you before award and put them in any resulting contract.

[End of Clause]

36	52.211-4052	SOURCE NOTES ON DRAWINGS: CONFORMANCE TO MILITARY TECHNICAL DATA	JAN/1984
	(TACOM)	REQUIREMENTS	

Notwithstanding the fact that ordnance drawings furnished with this solicitation may list particular manufacturer part numbers as approved sources, or as being the same as, or equivalent to, the ordnance part described on the drawing, the item to be supplied under this solicitation must conform to all specific technical requirements expressed on such drawing(s). To the extent that there may be any inconsistency between a manufacturer's part number and specific technical requirements expressed on an ordnance drawing which references the manufacturer's part number, the specific technical requirements shall control and take precedence. Offerors shall bear the responsibility of verifying that the approved part as supplied will conform with all such specific technical requirements.

[End of Provision]

37	52.211-4054	PACKING/PACKAGING LEVEL FOR OPTION QUANTITIES	FEB/1994
	(TACOM)		

For purposes of computing a price for the option quantity specified in Section B of this solicitation and unless otherwise indicated in Section B, it is understood and agreed that the option unit price includes the same level(s) of packing/packaging as those that apply to the basic contract quantity.

[End of Provision]

38	52.213-4007	QUOTER REPRESENTATIONS (REQUEST FOR QUOTATIONS)	FEB/1998
	(TACOM)		

(a) As part of this quotation, we represent as the quoter that we--

- ☐ Do
- ☐ Do Not

anticipate that any supplies will be transported by sea in the performance of any purchase order resulting from this quotation.

(b) The term supplies is defined in the Transportation of Supplies by Sea clause, in DFARS 252.247-7023 to include all materials and components that, when purchased and transported by sea, are intended for use in items to be sold to the Government under this purchase order.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-Q-0645 MOD/AMD	Page 21 of 26
Name of Offeror or Contractor:		

[End of Clause]

39 52.213-4859 ELECTRONIC QUOTATIONS REQUIRED IN RESPONSE TO THIS REQUEST FOR DEC/2002
(TACOM) QUOTATIONS (TACOM)

(a) You must submit your quotation via paperless electronic media (See paragraph (b) below.). Quotations submitted in paper form are unacceptable. Unless paper copies are specifically requested elsewhere in this solicitation, you must submit your electronic quotation, and any supplemental information (such as spreadsheets, backup data, technical information), using any of the following electronic formats:

(1) Files readable using these Office XP or Microsoft* 2000 Office Products (TACOM can currently read Office 2000* and lower.): Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a format that includes all formulae, macro and format information. Print image is not acceptable. Executable files, other than self-extracting compressed files, are unacceptable.

(2) Files in Adobe PDF (Portable Document Format). Scanners should be set to 200 dots per inch.

(3) Files in HTML (Hypertext Markup Language). HTML documents must not contain active inks to live Internet sites or pages. All linked information must be contained within your electronic quotation and be accessible offline.

(4) Other electronic formats. Before preparing your quotation in any other electronic format, please e-mail the buyer identified in Block 5(b) of the SF 18 cover sheet, with e-mail copy-furnished to amsta-idq@tacom.army.mil, to obtain a decision as to the format's acceptability. This e-mail must be received by the buyer not later than ten calendar days before the due date for quotations. Failure to e-mail the buyer within this timeframe to seek an alternate format's acceptability may result in non-consideration of your quotation. All alternate methods must be at no cost to the Government.

Note: The above formats may be submitted in compressed form using self-extracting files. Executable files other than self-extracting compressed files are unacceptable.

(b) Acceptable media: 100 or 250 megabyte Zip*-disk, 3 1/2 inch disk, 650 megabyte CD ROM, E-mail, or datafax. You must identify the software application, and version, that you used to create each file submitted. The word "datafax" used in this clause means "facsimile" as defined at FAR 52.215-5.

(1) 100 or 250 MEGABYTE ZIP*-DISK, 3 1/2 INCH DISK, or 650 MEGABYTE CD ROM via U.S. Mail or other carrier. Quoter shall label any and all submitted disks with the solicitation number and due date for quotations, and the quoter's name and address and contact phone number. In the event of multiple submitted quotations, place each quotation/submission on its own disk(s) (one quotation can comprise multiple disks). You must also submit only one quotation per envelope. Submit only one (1) of each disk (no additional copies required).

(2) E-mail. If you choose to use e-mail, ADDRESS YOUR QUOTATION TO THE BUYER identified in Block 5(b) of the SF18 cover sheet. THE SUBJECT LINE OF THE E-MAIL MUST READ "QUOTATION--[Request for Quotation number], [name of Company/offeror], DUE [due date]". Maximum size of each e-mail message shall be three and one-half (3.5) megabytes. Any compressed files must be self-extracting, and you must provide appropriate instructions. You may use multiple e-mail messages for each quotation, however, you must annotate the subject lines as described above for each message, and number them in this manner: "Message 1 of 3, 2 of 3, 3 of 3".

(3) DATAFAX. Faxed offers MUST BE SENT TO TACOM'S NETWORK FAX SERVER ON 1-586-574-5527. Paper faxes are not acceptable. Transmit only one quotation for each datafax transaction. Clearly identify the quotation as such on your fax cover page or via your PC, include your company's name, and state the proper internal TACOM address: the buyer's e-mail address found on the front page of the solicitation. Quoters may send a fax using a personal computer or standalone fax machine, but it must be sent to the above number. If you use a standalone fax machine, you won't receive a confirmation of receipt. See paragraph (e) below for the minimum requirements of your offer. Maximum size of datafax quotations is three and one-half megabytes (3.5MB), the same limitation as that for e-mail quotations. For your datafax, use the same subject line as that for e-mails as indicated above: "OFFER--[solicitation number], [name of your Company/offeror], CLOSES [closing date]".

Unless specifically instructed otherwise in this solicitation, select only one medium by which to transmit each quotation. For instance, do not submit a quotation via 100 or 250 megabyte Zip*-disk AND e-mail.

(c) Security Note: If you choose to password-protect access to your quotation, you must provide the password to TACOM at least ten days prior to submitting the protected file. Contact the buyer to arrange a means of providing the password. Passwords used only for the purpose of write protecting files need not be provided.

(d) Electronic quotations should include, as a minimum:

(1) The SF18 cover sheet filled out, or equivalent information.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-Q-0645 MOD/AMD	Page 22 of 26
Name of Offeror or Contractor:		

(2) All applicable fill-in provisions, filled in. You may find Word versions of these provisions requiring your fill-in on our TACOM Business Opportunities webpage (<http://contracting.tacom.army.mil/mastersol/sectionk.htm>). You can fill them in and attach them to your quote. See the solicitation for which provisions are required.

(3) A statement of agreement to all the terms, conditions, and provisions of this Request for Quotations.

(4) Any other information required by the Request for Quotations.

(e) Quoters shall make every effort to ensure that their quotation is virus-free.

*Registered trademark

[End of provision]

40	52.214-4003 (TACOM)	ALL OR NONE	JUN/1985
----	------------------------	-------------	----------

Only one award will be made as a result of this solicitation. Offers must be submitted for the total quantity of all the items listed. Offers for less than the total quantities of all the items will not be considered.

[End of Clause]

41	52.215-4404 (TACOM)	DATA AND COMMUNICATIONS SUBMITTED TO THE GOVERNMENT ELECTRONICALLY	MAY/2002
----	------------------------	--	----------

(a) The Government often employs contractors as system administrators to operate and maintain Government computer systems. These systems include local area networks, web sites, databases, other electronic records, e-mail accounts, other electronic data transfer mechanisms and computer software. The employees of these contracted system administrators sign nondisclosure agreements obligating them not to reveal information contained in files, documents, computers or systems that they administer. However, unless such information is protected in some way, contracted system administrators do have the ability to access such information.

(b) Potential contractors as well as any other parties are thus advised to take steps needed to prevent access by contracted system administrators to information submitted electronically to the Government. Absent such steps, it is assumed that contracted system administrators are permitted the capability to access the data. The access will be limited to that which is necessary for the contract system administrator to perform its duties for the Government. The access shall be subject to the condition that third party information is not to be revealed by the contracted system administrator.

[End of Clause]

42	52.217-4003 (TACOM)	EVALUATION OF INCOMPLETE OPTION PRICING	MAY/2000
----	------------------------	---	----------

(a) Per FAR 17.203(d), offerors may price the option CLIN in this solicitation incrementally, by entering different option unit prices that will apply to different subquantities or quantity ranges (in the event that the Government elects to exercise less than 100% of the option). Notwithstanding this fact, the provision entitled EVALUATION OF OPTIONS (FAR 52.217-5, located elsewhere in this solicitation) indicates that the Government's evaluation for contract award will include each offeror's price for 100% of the option quantity.

(b) In light of the above, if an offeror specifies unit prices that apply to one or more option quantity ranges, but does not specify a unit price for 100% of the option, the Government will evaluate that offer for award as follows. The option price for such offer shall be deemed to be the higher of (i) the unit price that applies to the basic (non-option) quantity, or (ii) the highest unit price that is identified against any range or subquantity of the option CLIN.

[End of Provision]

43	52.217-4004 (TACOM)	DESTINATION FOR OPTION QUANTITIES	FEB/1994
----	------------------------	-----------------------------------	----------

To compute a price for any option quantity, assume you'll be shipping a proportional share of the option quantity to each destination scheduled to receive shipments of the same item under the basic contract. For example, if the basic contract involves one

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-Q-0645 MOD/AMD	Page 23 of 26
--------------------	--	---------------

Name of Offeror or Contractor:

third of the quantity to go to destination X, and two thirds to destination Y, assume those same percentages will apply to any option quantities the Government will exercise.

[End of Provision]

44	52.223-4002 (TACOM)	USE OF CLASS I OZONE-DEPLETING SUBSTANCES (CIODS)	DEC/1993
----	------------------------	---	----------

(a) Definitions.

(1) Class I Ozone-Depleting Substances (CIODS) refers to the class of substances identified in Section 602(a) of the Clean Air Act, (42 U.S.C. 7671a(a)), as reproduced below:

- (i) chlorofluorocarbon-11 (CFC-11)
- (ii) chlorofluorocarbon-12 (CFC-12)
- (iii) chlorofluorocarbon-13 (CFC-13)
- (iv) chlorofluorocarbon-111 (CFC-111)
- (v) chlorofluorocarbon-112 (CFC-112)
- (vi) chlorofluorocarbon-113 (CFC-113)
- (vii) chlorofluorocarbon-114 (CFC-114)
- (viii) chlorofluorocarbon-115 (CFC-115)
- (ix) chlorofluorocarbon-211 (CFC-211)
- (x) chlorofluorocarbon-212 (CFC-212)
- (xi) chlorofluorocarbon-213 (CFC-213)
- (xii) chlorofluorocarbon-214 (CFC-214)
- (xiii) chlorofluorocarbon-215 (CFC-215)
- (xiv) chlorofluorocarbon-216 (CFC-216)
- (xv) chlorofluorocarbon-217 (CFC-217)
- (xvi) halon-1211
- (xvii) halon-1301
- (xviii) halon-2402
- (xix) carbon tetrachloride
- (xx) methyl chloroform
- (xxi) Methyl bromide
- (xxii) hydrobromofluorocarbons (HBFCs)
- (xxiii) All isomers of the substances listed in this paragraph (a)(1) except for 1,1,2-trichloroethane, which is an isomer of methyl chloroform.

(2) Directly requires the use of CIODS means that the Government's specification or technical data package, at any tier, explicitly requires the use of any Class I Ozone-Depleting Substance (CIODS) in performance of the contract.

(3) Indirectly requires the use of CIODS means that the Government's specification or technical data package, while not explicitly requiring the use of any CIODS, does require a feature that you can meet or produce only by the use of CIODS.

(b) Per Section 326 of Public Law 102-484, the Department of Defense cannot award any contract that directly or indirectly requires the use of CIODS unless (i) the use of such substances is essential for contract performance, and (ii) no suitable substitute for the CIODS currently is available.

(c) Before releasing this solicitation, we conducted a best effort review of its technical requirements, standards, and specifications, to see if any contain requirements for CIODS. If we identified any such CIODS requirements, they are identified in subparagraph (d)(1) below.

(1) In addition, to help TACOM meet its obligations under Public Law 102-484, we ask you for input. If you have any special knowledge about any CIODS requirements that our specifications impose, whether directly or indirectly, or if you know about potential substitutes for any CIODS required by our specifications, we would appreciate the information.

(2) It should be understood that you are not obligated to give us the information requested by this provision, and that we cannot provide any separate or special payment for doing so. However, we are asking only for information based on knowledge that is readily available to you as a supplier in this industry. We do not expect you to do any review of our specifications more extensive than the one you perform in order to develop your price.

(d) Please summarize your own review of our specification/technical data package, by completing the following:

- (1) During our review of the specification or technical data package in this solicitation, we--

Name of Offeror or Contractor:

- [] have
[] have not

found any direct requirements to use any CIODS. (If have is checked above, offerors are asked to identify, on the following lines, (i) any specifications and standards not already listed immediately below that directly require the use of CIODS; (ii) the CIODS required by the listed specifications and standards; and (iii) whether any substitutes are known to be available for the listed CIODS.)

<u>Spec/Standard</u>	<u>Required CIODS</u>	<u>Substitute Available?</u>
<hr/>	<hr/>	<hr/>
<hr/>	<hr/>	<hr/>

(2) Further, in our review of the specification or technical data package in this solicitation, we--

- [] have
[] have not

found any indirect requirements to use any CIODS. (Offerors who check have above are asked to identify, on the following lines, (i) the specifications and standards for this acquisition that indirectly require the use of CIODS; (ii) the CIODS indirectly required by each listed specification and standard; and (iii) whether any substitutes are known to be available for the listed CIODS.)

<u>Spec/Standard</u>	<u>Required CIODS</u>	<u>Substitute Available?</u>
<hr/>	<hr/>	<hr/>
<hr/>	<hr/>	<hr/>

(e) Offerors who check have in paragraphs (d)(1) or (2) above also are requested to say whether substitutes are known to be available for any of the CIODS. If an available substitute would perform less well than the CIODS would perform, please let us know what the technical trade-offs are to the extent that you have such information available.

(f) If you checked have in paragraphs (d)(1) or (2) above, and also indicated that substitutes for CIODS are available, we need to know whether use of the suggested substitute would have any effect on your proposed price. If your proposal price for compliance with our current specifications differs from what your price would be if the substitute for CIODS were required, we ask that you let us know what the difference would be in Section B of this solicitation, by giving us two prices or offers:

--One price/offer, labeled with CIODS, will be the offered price in the event that CIODS are used.

--The second price/offer, labeled without CIODS, will be the price offered if substitutes for CIODS are used, and will specify the substitute(s) being proposed for use.

(g) Section 326 of Public Law 102-484 reflects the national and international interest in minimizing the use of CIODS. For this reason, TACOM reserves the right to (i) determine the suitability of substitutes for CIODS when such potential substitutes are available; and (ii) change the specification in any contract awarded as a result of this solicitation, to require the use of suitable substitutes in lieu of CIODS.

[End of Provision]

45	52.246-4005	INSPECTION AND ACCEPTANCE POINTS: ORIGIN	FEB/1995
	(TACOM)		

The Government's inspection and acceptance of the supplies offered under this order shall take place at ORIGIN. Offeror must specify below the exact name and address of his facility, or his subcontractor's facility, where supplies to be furnished under this order will be available for origin inspection

Contractor's Plant: _____
(Name and Address)

Subcontractor's Plant: _____
(Name and Address)

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-Q-0645 MOD/AMD	Page 25 of 26
Name of Offeror or Contractor:		

46 52.246-4009 INSPECTION AND ACCEPTANCE POINTS: DESTINATION FEB/1995
 (TACOM)

Inspection and acceptance of supplies offered under this purchase order shall take place as specified here. Inspection: DESTINATION Acceptance: DESTINATION.

[End of Clause]

47 52.246-4026 LOCAL ADDRESS FOR DD FORM 250 FEB/2004
 (TACOM)

(a) The contractor must provide a copy of each Material Inspection and Receiving Report (DD 250) pertaining to this contract, to the addresses given below, using either of the following methods:

(1) Our first preference is for you to use electronic mail (e-mail), using the following e-mail address:
DD250@tacom.army.mil

(2) Our second preference is for you to use data facsimile (datafax) transmission, using this fax number: (586) 574-7326 and use "DD250 mailbox" in the "to:" block of your fax cover or header sheet.

In either method, do not mix DD250s from more than one contract in a single transmission. That is, you may submit multiple DD250s in a single transmission, but they must all be against the same contract.

(b) These copies meet the requirements for the Purchasing Office copy and the Army Inventory Control Manager copy listed in tables 1 and 2 of DFARS Appendix F.

(c) The DD250 form may be found, in three different formats, on the World Wide Web at <http://webl.whs.osd.mil/icdhome/DD-0999.htm>

(d) When the final DD 250 has been submitted, the contractor shall send a letter, with a copy of the DD250, indicating that the last DD 250 has been submitted and transmit it to the Government using one of the following methods:

(1) Our first preference is for you to send the letter to the DD250 mailbox at DD250@tacom.army.mil AND the Contract Specialist's email (located on the first page of your contract in block 5).

(2) Our second preference is for you to use data facsimile (datafax) transmission, using this fax number: (586) 874-7552 and use DD250 mailbox and Contract Specialists name in the to: block of your fax cover or header sheet.

[End of Clause]

48 52.247-4016 HEAT TREATMENT AND MARKING OF WOOD PACKAGING MATERIALS JUL/2002
 (TACOM)

ALL NON-MANUFACTURED WOOD USED IN PACKAGING SHALL BE HEAT TREATED TO A CORE TEMPERATURE OF 56 DEGREES CELSIUS FOR A MINIMUM OF 30 MINUTES. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL BE AFFILIATED WITH AN INSPECTION AGENCY ACCREDITED BY THE BOARD OF REVIEW OF THE AMERICAN LUMBER STANDARD COMMITTEE. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL ENSURE TRACEABILITY TO THE ORIGINAL SOURCE OF HEAT TREATMENT. EACH BOX/PALLET SHALL BE MARKED TO SHOW THE CONFORMANCE TO THE INTERNATIONAL PLANT PROTECTION CONVENTION STANDARD. BOXES/PALLETS AND ANY WOOD USED AS INNER PACKAGING MADE OF NON-MANUFACTURED WOOD SHALL BE HEAT TREATED. THE QUALITY MARK SHALL BE PLACED ON BOTH ENDS OF THE OUTER PACKAGING, BETWEEN THE END CLEATS OR END BATTENS; ON TWO SIDES OF THE PALLET.

[End of Clause]

49 52.247-4458 GUARANTEED SHIPPING CHARACTERISTICS--F.O.B. DESTINATION SEP/2000
 (TACOM)

(a) The offeror is required to complete subparagraph (b)(1), (2), and (3), of this clause, for each part or component, including all of its packaging. This information will be used by the Government to perform logistics management functions such as providing item sustainment, planning (e.g. estimating storage costs), and redistribution. You are not liable if you give us wrong information, however since the DOD uses this data in-house in existing data bases and because this information may be used in contingency planning it, we request that the information provided be as accurate as possible.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-Q-0645 MOD/AMD	Page 26 of 26
Name of Offeror or Contractor:		

(b) Definitions of terms commonly used in the packaging and distribution environments are defined in ASTM D996 and should be consulted if any term used herein is in question.

(1) Unit Package:

(i) Specify the type of UNIT PACKAGE for each single unit of issue: A container in direct contact with and enclosing the product along with any required protective materials(s)(e.g. item is wrapped in neutral paper, polyethylene foam cushion wrapped, sealed in a waterproof bag, and placed in a fiberboard box).

(ii) Unit Package Exterior Size/Weight of Unit Package with contents:

Length_____ x Width_____ x Depth _____(expressed in inches)/Weight expressed in _____ pounds

(2) Shipping Container:

(i) Exterior Size of SHIPPING CONTAINER AND CONTENTS THEREIN:

Length, _____ x Width, _____ x Height,_____ (expressed in feet and inches)

(ii) Number of unit packages per shipping container _____ each

(iii) Gross weight of Shipping container and contents _____ Lbs.

(3) Unitized Loads:

(i) Is the Load palletized, skidded, or some other platform device used as a base for handling and transporting as a single entity. Yes [] No []; describe: _____.

(ii) Number of Shipping containers per pallet/skid _____ each.

(iii) Weight of empty pallet, skid, platform, dolly, other device used as a base for handling and transporting materials _____ Lbs

(iv) Size of Unit Load(pallet/skid including shipping container(s)assembled for handling and transportation as a single entity:

Length, _____ x Width, _____ x Height,_____ (expressed in feet and inches)

(v) Gross Weight of Unit Load _____ Lbs;

[End of Clause]